





Gantry Crane

Adjustable Height



Specifications



Model	Span A	Under B	SWL	C	D	E	F	Shipping Weight [Approx. lbs.]
1TAHG-10-10	10'	10-13'	1 Ton	36"	41"	10' 6"	8"	700
1TAHG-10-12		12-15'		42"	47"	10' 6"	8"	750
1TAHG-10-15		15-18'		48"	53"	10' 6"	8"	810
1TAHG-12-10	12'	10-13'		36"	41"	12' 6"	8"	740
1TAHG-12-12		12-15'		42"	47"	12' 6"	8"	790
1TAHG-12-15		15-18'		48"	53"	12' 6"	8"	850
1TAHG-15-10	15'	10-13'		36"	41"	15' 6"	10"	900
1TAHG-15-12		12-15'		42"	47"	15' 6"	10"	940
1TAHG-15-15		15-18'		48"	53"	15' 6"	10"	1000
1TAHG-20-10	20'	10-13'		36"	41"	20' 6"	10"	1025
1TAHG-20-12		12-15'		42"	49"	20' 6"	10"	1070
1TAHG-20-15		15-18'		48"	53"	20' 6"	10"	1130
2TAHG-10-10	10'	10-13'	2 Ton	36"	43"	10' 6"	8"	800
2TAHG-10-12		12-15'		42"	49"	10' 6"	8"	870
2TAHG-10-15		15-18'		48"	55"	10' 6"	8"	970
2TAHG-12-10	12'	10-13'		36"	41"	12' 6"	8"	840
2TAHG-12-12		12-15'		42"	49"	12' 6"	8"	910
2TAHG-12-15		15-18'		48"	53"	12' 6"	8"	1000
2TAHG-15-10	15'	10-13'		36"	43"	15' 6"	10"	1020
2TAHG-15-12		12-15'		42"	49"	15' 6"	10"	1060
2TAHG-15-15		15-18'		48"	55"	15' 6"	10"	1150
2TAHG-20-10	20'	10-13'		36"	43"	20' 6"	10 1/2"	1356
2TAHG-20-12		12-15'		42"	49"	20' 6"	10 1/2"	1430
2TAHG-20-15		15-18'		48"	55"	20' 6"	10 1/2"	1525
3TAHG-10-10	10'	10-13'	3 Ton	36"	44"	10' 8"	10"	890
3TAHG-10-12		12-15'		42"	50"	10' 8"	10"	925
3TAHG-10-15		15-18'		48"	56"	10' 8"	10"	980
3TAHG-12-10	12'	10-13'		36"	44"	12' 8"	10"	945
3TAHG-12-12		12-15'		42"	50"	12' 8"	10"	980
3TAHG-12-15		15-18'		48"	56"	12' 8"	10"	1040

Continued on next page →

Gantry Crane Adjustable Height

Specifications (cont.)

Model	Span A	Under B	SWL	C	D	E	F	Shipping Weight [Approx. lbs.]
3TAHG-15-10	15'	10-13'	3 Ton	36"	44"	15' 8"	12"	1030
3TAHG-15-12		12-15'		42"	50"	15' 8"	12"	1070
3TAHG-15-15		15-18'		48"	56"	15' 8"	12"	1125
3TAHG-20-10	20'	10-13'		36"	44"	20' 8"	15"	1525
3TAHG-20-12		12-15'		42"	50"	20' 8"	15"	1575
3TAHG-20-15		15-18'		48"	56"	20' 8"	15"	1645
5TAHG-10-10	10'	10-13'	5 Ton	36"	44"	10' 9"	12"	1620
5TAHG-10-12		12-15'		42"	50"	11' 5"	12"	1685
5TAHG-10-15		15-18'		48"	56"	11' 5"	12"	1800
5TAHG-12-10	12'	10-13'		36"	44"	12' 9"	12"	1725
5TAHG-12-12		12-15'		42"	50"	12' 9"	12"	1800
5TAHG-12-15		15-18'		48"	56"	12' 9"	12"	1915
5TAHG-15-10	15'	10-13'		36"	44"	15' 9"	15"	1900
5TAHG-15-12		12-15'		42"	50"	15' 9"	15"	1970
5TAHG-15-15		15-18'		48"	56"	15' 9"	15"	2075
5TAHG-20-10	20'	10-13'		36"	44"	20' 9"	15 ½"	2180
5TAHG-20-12		12-15'		42"	50"	20' 9"	15 ½"	2255
5TAHG-20-15		15-18'		48"	56"	20' 9"	15 ½"	2370

*Dimensions may be subject to change at time of order based on material available.

All our gantry cranes have been manufactured by our parent company The Dressor Group Ltd. Dressor is a CWB certified welding company certified to CSA W 59 and all gantries are welded to CSA W47.1 and are pre-engineered to the highest possible standards including a 15% impact allowance for an electric hoist.

Unless otherwise specified, all gantry cranes come with four swivel castors, two of them with a locking brake.



Distributed by:

